

VOLUMEN (l)  
VOLUMEN (l)

MAX. OBREMENITEV (kg)  
MAX. OBTEREČENJE (kg)

OBREMENITEV TAL (kg/m<sup>2</sup>)  
OBTEREČENJE PODA (kg/m<sup>2</sup>)

235

415

340

- Prostor za el. vodnik 3 x 2,5 mm<sup>2</sup>, dolžine cca 1m.
- Prostor za el. vodnik 1 x 6 mm<sup>2</sup> za ozemljitev, dolžine cca 1,5m.
- Priklop tople in hladne vode 1/2" min 0,2 Mpa, max 0,4 Mpa
- Prostor za odtok  $\varnothing$  50 mm


- Mjesto za el. vodnik 3 x 2,5 mm<sup>2</sup>, dužine cca 1m.
- Mjesto za el. vodnik 1 x 6 mm<sup>2</sup> za ozemljenje, dužine cca 1,5m.
- Priključak tople i hladne vode 1/2" min 0,2 Mpa, max 0,4 Mpa
- Mjesto za odtok  $\varnothing$  50 mm




- Prostor potreben za premik podnožja kadi



- Mjesto potrebno za pomeranje postolja kade



PREDLOG VGRADNJE  
PRIJEDLOG UGRADNJE



ZONA ZA PREDINSTALACIJO